



Since many of the items lack a specific page number, the page number displayed online refers to the sequentially created number each item was given upon cataloging the materials.

Mani Mari stellaris How. figure in Coll Kens.


is = M. pus: Un








M. Lennis = sufo-croce et et all the same - / Goebel, de plas stelle a motivati M. formen i ny mell æredlig with the white short spin, 2-4 一个一个 Hus Cels, Paris, Munch 18 1869







266 Rochers du Pédrégal pris San Angel Villee de Mexico E'Bourgeau 12 May 1865 Epel. Françaire, He Mus Paris April 1269 Mamillania arietina Lem lærtesrens? var of M. magnimammettav simplex depresso-globosa telemelis latis ovetis, vicasioniber dus issime albe lanates fore Echinorati Autolowel Cephalanthae mode jephelieue referent. ben) mox denne datis; aculeis 4-6 mby, orforfusion apire Dustis l'hung 2.3 infension by maxime inaequalité 2.3 infension by solutioning suege auguletic décurvir curvatis flexuosisve, pollironibes vel altre; superiorites 2-3 multo minoriber browniber 1143 Horitan vira apiren lanosum ex exillés tabendon seniorum longe allo la natis ortis proponeis, phylles ovatis oblusis orandetis. becris (emipuionis?) elongatis seminitus furrior letteri, myelomis

Hent 3 inches high (large subtense stem) 4 inches in Diauther, appearance of an Pehinomethus.

One specime has much movedelicate opians the the balance, but still all over stout stout state their any large manuflacing I know

MISSOURI BOTANICAL GARDEN

GEORGE ENGELMANN PAPERS


47. Cerro de los Baños pois Mexito E. Bourgeond 14 may 1865. Mamillaria Shodantha Epu. França IV. Mus Pais Apr 1x69 Timplex out Tubernetis solliguis longissibur, ad exilles Canam furram settique feescas gerentibus apire obligue anlier sadales 20-25 (in land duesa demen deriden) after lares stramineos, inferiores longions centralesque 6, sobrestos basi nodosos (genentibus, punionibs besifuscis) flogiber coccinens, phyllis acutati; Barris vorracis deme-elongatis from the red groth, just beginning to Roman, fruit of last year just ripe -91-1/4 thick long, with or without the rudinents of Howas _ Seed obling, light brown, rugose -1144 In another sheet I find sperimen which are a little meller, spires bright brownish yellow, reated spines 4-7 ni one orrele, sometrines an 8 - central one in the widle, not different from the others. Some of the flowers

are separately preserved, they show it base the dease brown long wood and the Griffes and are about to inch long, with about 12 very courte petats Alat 3. notes high a little GEORGE ENGELMANN PAPERS

cm

Pani 2/69 La Jenson & Man. maschulae anth L.L., ---axillis loge lanoris Altas nameros es longe exsenter - generl's fenilus purpures - roseis sepeli fere 13 lamblation mesti. Diti - Citi ptte pull Cation of Congrains, for 11-12 . Tieto-dut - leti comment of the 3 mm Comment The super stand excepts petalis overing, stign stands visibles Shign zin hum long flow 20 mm long 1145

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved



man-Clavi Spheentrike as ferson Pani April 2 1869 Jems pellike rose, phylla med i abrousion ex medera axilla lanosa, setigen que orti , me setti stadique involute Sepeles 13-16 oblogolikeents oftes i dealinaletter deriale squamos i opprentently peteli le Lan'- peteleti ouspisshi sen aprère d'uli fun 11-13 mueroux; commentation for vix 34 mm style som staning execte petete Bruch shignetit, 6-8 strumbentitus sheret, 1/4-1/2 mm logis a beatteft white spike, alund white plant off seen is allis 1146

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved


MISSOURI BOTANICAL CANDEN GEORGE ENGELMANN PAPERS MISSOURI BOTANICAL copyright reserved GARDEN

cm

Manulloni Brasane Hort Ofens Sof Pani April 2º 1869 inxil farele ferra 15 mm Cong x 2 15-17 repuls reds)4 entire or parachyma = pasilla seglig dubillet parachym = pasition ab & dutirelat dity gellent petets, redrich modific neetanin avis 1/2 2 mon Cong very Ihat in the yellen 17-3 only floren examinel 111/


0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved


MISSOURI BOTANIANI MADENI






Manifilania omorigen at Hendrift Their April 2 1869 3-6 center 5/m. flower pele some, ab 10-11 mm log 10-12 sepula lime Camadat entire as me my petals scarrely dustralete wertant covity 1/2 min long stigmette yellow, 4-5 evert stight word i axils of telence









M. Schiedenne H. Ofenstoff

Omi 2 Ap 18bg

overy gute free

James of face by little short wood

and numerous, axillary hair like

Another, muly as long as flower

or at least as long as surround;

Mani Clee

Flow 16 th. lang. Shilt. seply

with dry not mind to about 10

Juli, late amoraneth

petals white with yellowith things

also about 10 spetalet muonto typing mating

ner famine causing 1/2 man long

4 short yellow strigments

1149

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved

MISSOURI BOTANICAL GEORGE ENGELMANN DA MISSOURI BOTANICAL copyright reserved GARDEN


cm

Maniflanis votals H. Geradoff Panis April 2 1669

f. 18 m. Coy red h a to be supe, not he set yellowish manying. Aty yellowish was justed or word, no bristly 13 reply lamoulate, manying debate, more pately 10-13 obline, deal alot, more than a perhaps only 12 mm - shortest seen well a host yellow event striguent not Congress the stame.

1150


0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved








H. Hend Sani M. parvissina Luke Ari 2 1x69 no dock a form of tuberles about 5 mm Cong ovang summelle by kille short wool and for rapillary Billes flower 11 or 12 min Con ditty yel Count about g obliverik or E. ate - Dutiblet about 13 trumonte jutel, emangiant. Dentiralet, at apex. 3 yellow tiguet nections cowing about 1 min Constitution of the 2 min





Man. Haverniki H. Ofenshifs
Pani Api 2 1869

Flow rose 16-17 and lay,
overy survolubly abunded wool

13-15 sepuly obtash meanut

elmost outive
as many putels and 74 dutale

nectanic ranty 3 min Con

staminto part of 2/2 and my

s yielow striguete

1150





MISSOURI DOT NO.

copyright reserved cm



man, melaneretu Pozelg (869 lastered closely allies to or one of the formy A. M. Heyderi. 30 mm long, among the land of their section ovan surveiled by long at love wook about & laureolete acute alunt entre Lepels about the same number of allong slighly declarable obline pulel hectain cavity 3 mm Con James The Congect i Cemanitlani Jæddet Slandinet pully the about 5 mulong Style med at buse, lighte up and Shigmated each 3 monten gellours Treen

1150


0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved

MISSOURI ENGLIMANIN PAPERS



Mamillanie la tes centes Differential not seed as highest if fuerance pl. nov. from the sit M. Fischen' L. J.S. 118. Milh and polyedal Meanthe ! Just M. pulles vens Scheid_. J. S. 115 M. formora Scheid. J. S. 87 Horigable. M. Hayden Mulel. H. Bauma. Mi gummfem lag. M. pyskorephala Sche. J. S. 121 M. unriveta Juer. f.D. Jaar. pl. M. carnea Jun M. deifiaaa Marti M. polyedre Mak " & Hogode um M. Subpolgedon Selen -Ment fern Mark Me Myslax Mart 1 M Harwinskiaan Just , de Juriani niana Mach, Mach Mach Mi proda Obelg, fisels. Mi magnimamma Host. Bauma xxx. gorbe Me polythele for pur & H. gorbe) M. Tetra cetra Maxing Aller M. pentarantta. M. Woharnenses Scher. J. Scher 1154 M. glornerate DC: Hriti f. Neur ed 7.20141 Durm. frak spen. M. Simpely Mennara Bulg. Minosa Poneg fix Brels. MISSOURI


BOTANICAL copyright reserved cm GARDEN



Mammillaria I longimammae. Il. large yellow, ope in sunshine 182. Ip.

Il Crinitae of Differences: A. shotish or redsish spines of retereory

5. 5p. 400 kind 5p. 3-11 II Heteracanthae simple or proliferous; r.spines setureons, c. spines shorger, 2: ferally roland 1/2. 12 - 58. 1. polywanther; og lindrical . 3p. 12- 14 2. leurorephalae globore or oghudriel. I spines setures soveringt plat skite
1. nose 71.15-27 3. chrysacanthai globose or rylindrice single or divided.
c. spines red show yellow, Kowen red
op. 28 - 39. gebose single er proliferous; C. spins ved er dank shright er harked flored on redvih ip. 40-58 4. disolones r. sp. selese few C. 3p. globose or aglindrick TV Subsetosae mostly 4; fl. purple sp. 59-63 globose, navely poliferus, all spines same volour V. Contribina op. 64 - 68 white or brownish VI. Angulares globose or aglishind in angular sp. 69 - 105 1. tetragonae up. 69-81. televales obline tabentes pyramidal fl nd, shi Lish on gellowish. 2p.82. 2. polyhedme 3. phymatothelae tub obtuse, cavina tubunda fred 92
4 Macrothelae tub of the base 4 aughs, autist A. shihid
telligerae this oppositive, brunking on capitose Hishet on VII Stelligerae gellow. - tubers humisphenor f. 107-12 1. auner spinse sp. 107_110 1100 7. 111__ 112 2. allissinae III Autarothelae globore s. oplindred tabentes subsite sp. 113-132 1. Glandeliferne # (whilith rollish or pupile sp. 113_123 fl large, rellow or rose Jp. 124-132 2. Eglondona



MISSOURI BOTANICAL GARDEN SEORGE ENGELMANN FARENS MISSOURI BOTANICAL copyright reserved GARDEN cm